Product Acrylic Primer Undercoat

Revision date 16 February 2021

Revision 1



Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Acrylic Primer Undercoat Other means of identification No information available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses A water borne acrylic resin based coating for use as a primer/undercoat on wood, cement,

plaster and brickwork.

For consumer and professional use.

Uses advised against Any other purpose.

1.3 Details of the supplier of the safety data sheet

Supplier Castle Paints Ltd

Cloncollig Industrial Estate

Tullamore Offaly R35 X993 Ireland

Tel: 353 (0)579351583 info@castlepaints.ie

1.4 Emergency telephone number

Contact person

Emergency telephone Emergency medical information: 8am - 10pm (Seven Days) contact National Poison

Center, Beaumont Hospital. Telephone: +353 (0) 18092166

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Not classified
Human health Skin. Sens 1 A- H317
Environment Not classified

2.2 Label elements

Contains 2-methyl-2H-isothiazol-3-one

Label in accordance with (EC) no. 1272/2008



Signal word Warning

Hazard statements H317 May cause an allergic skin reaction.

Precautionary statements Prevention

P261 Avoid breathing dust/fume/ gas/mist/vapours/spray.

P280 Wear protective gloves/ protective clothing/eye protection/face protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

Disposal

P501 Dispose of contents/ container to a licensed hazardous waste disposal facility in accordance with all applicable regulations.

2.3 Other hazards

None known.

Section 3: Composition/information on ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Regulation (EC) No 1272/2008	%
titanium dioxide	CAS-No.: 13463-67-7 EC No.: 236-675-5 REACH Reg No.: 01-2119489379-17-0046		5-10%
propane-1,2-diol	CAS-No.: 57-55-6 EC No.: 200-338-0 REACH Reg No.: 01-2119456809-23-0000		1-5%
Limestone	CAS-No.: 1317-65-3 EC No.: 215-279-6		1-5%
isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol	CAS-No.: 25265-77-4 EC No.: 246-771-9 REACH Reg No.: 01-2119441305-48-0002		0.1-0.9%
Distillates (petroleum), solvent- dewaxed heavy paraffinic	CAS-No.: 64742-65-0 EC No.: 265-169-7		0.1-0.9%
docusate sodium	CAS-No.: 577-11-7 EC No.: 209-406-4 REACH Reg No.: 01-2119491296-29-XXXX	Skin Irrit.2 - H315, Eye Dam. 1 - H318	0.1-0.9%
2-methyl-2H-isothiazol-3-one	CAS-No.: 2682-20-4 EC No.: 220-239-6	Acute Tox 3 - H301, Acute Tox 3 - H311, Skin Corr. 1B - H314, Skin. Sens 1 - H317, Eye Dam. 1 - H318, STOT SE 3 - H335, Aquatic Acute 1 - H400	0.01-0.09%

The full text for all hazard statements are displayed in section 16.

Composition comments

The data shown are in accordance with the latest EC Directives.

Distillates (petroleum), solvent-dewaxed heavy paraffinic: This product is not classified as carcinogenic as it complies with note L having polynuclear aromatic hydrocarbon content <3% determined in accordance with IP 346 (dimethylsulphoxide extraction) (Annex VI – Regulation EC 1272/2008).

2-methyl-2H-isothiazol-3-one - SCL: Skin Sensitisation 1A; H317: C > or = 0.0015 %; M Factor: M=10, M(Chronic)=1.

Section 4: First aid measures

4.1 Description of first aid measures

General information Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if

symptoms persist, always call a doctor.

Inhalation Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort or breathing difficulties develop.

Ingestion Rinse mouth out and then drink plenty of water. Seek medical attention.

Skin contact Remove affected person from source of contamination. Wash exposed area with soap and

water. Get medical attention if irritation develops or persists.

Eye contact Remove contact lenses if present and easy to do so. Hold eye lids open. Rinse with a gentle

stream water for at least 15 minutes. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation No specific symptoms noted.

Ingestion Ingestion may cause nausea and irritation to the mouth, throat and digestive system. Skin contact Prolonged contact may cause redness, irritation and dry skin. May cause an allergic skin

reaction.

Eye contact May cause temporary eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to the physician Treat symptomatically.

Section 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media This product is not flammable. Use fire-extinguishing media appropriate for surrounding

materials. Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media High volume water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products Unusual fire & explosion hazards

Specific hazards

Combustion products may include and are not limited to: Oxides of carbon. Metal oxides.

No unusual fire or explosion hazards noted.

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire fighting procedures Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires

from safe distance or protected location. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so.

Protective equipment for firefighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for firefighters (including helmets, protective boots and gloves) conforming to European standard

EN 469 will provide a basic level of protection for chemical incidents.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders

Wear protective clothing as described in Section 8 of this safety data sheet.

Follow safe handling advice and personal protective equipment recommendations for normal

use of product.

6.2 Environmental precautions

Environmental precautions Avoid discharge in to drains and water courses.

6.3 Methods and material for containment and cleaning up

Spill clean up methods Stop leak if possible without risk. Wear necessary protective equipment. Absorb spillage with

non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled

container. Wash thoroughly after dealing with a spillage.

6.4 Reference to other sections

Reference to other sections See section 1 for emergency contact. For personal protection, see section 8. For waste

disposal, see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handling

Read and follow manufacturer's recommendations. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Do not eat, drink or smoke when using the product. Avoid spilling, skin and eye contact. Ensure adequate ventilation. Use proper personal protection when handling (refer to Section 8).

7.2 Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly closed original container in a cool, dry and well-ventilated place. Keep

upright, locked up and out of reach of children.

Storage class Unspecified storage.

7.3 Specific end use(s)

Specific end use(s)The identified uses for this product are detailed in Section 1.Usage descriptionUse only according to directions. Replace and tighten cap after use.

Section 8: Exposure controls/Personal protection

8.1 Control parameters

Component	STD	TWA (8 Hrs)	STEL (15mins)	Notes
titanium dioxide	OEL		10 mg/m ³		Total inhalable dust.
titanium dioxide	OEL		4 mg/m ³		Respirable dust.
propane-1,2-diol	OEL	150 ppm	470 mg/m ³		Total (vapour and particulates).
propane-1,2-diol	OEL		10 mg/m ³		Particulates.
Limestone	OEL		10 mg/m ³		Total inhalable dust.
Limestone	OEL		4 mg/m ³		Respirable dust.

Ingredient comments

Ireland, Occupational Exposure Limits 2020.

8.2 Exposure Controls

Protective equipment



Hygiene measures



Engineering measures Provide adequate ventilation, including appropriate local extraction, to ensure that the

defined occupational exposure limit is not exceeded.

Respiratory equipmentUse in a well ventilated area. For professional users: Where risk assessment shows airpurifying respirators are appropriate a full face respirator conforming to EN143, and

suitable respirator cartridges as a backup to engineering controls.

Suggested filter type A/P2 (EN 141). ABEK (EN 14387). Use respirators and components tested and approved under appropriate government standards such as CEN (EU). Use respiratory protection as specified by an industrial hygienist or other qualified professional if

concentrations exceed the limits listed in Section 8.

Hand protection Where hand contact with the product may occur the use of gloves approved to relevant

standards (e.g. Europe: EN374) is recommended. Suggested material: Nitrile rubber gloves.

Layer thickness: 0.11mm. Breakthrough time: >480 min.

Use proper glove removal technique (without touching glove's outer surface) to avoid skin

contact with this product. $% \left(-\frac{1}{2}\right) =-\frac{1}{2}\left(-\frac{1}{2}\right)$

Eye protection Use safety glasses to prevent any possibility of eye contact. Use equipment for eye protection

tested and approved under appropriate government standards such as EN 166(EU). For professional users: Tightly fitting safety goggles or face-shield may be required for

applications producing spray or mist.

Other protection Wear appropriate clothing to prevent any possibility of skin contact.

For professional users: Protective clothing should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. The selected clothing must satisfy the European norm standard EN 943.

Wash hands and / or face before breaks and at the end of the shift. Do not eat, drink, or

smoke while using this product. Avoid contact with skin, eyes and clothing.

Process conditionsUse only according to directions. Ensure that eye flushing systems and safety showers are

Page 4 of 9

located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

AppearanceLiquid.ColourVarious.

Odour Faintly sweet smelling.

Odour threshold - lower No information available as testing has not been completed.

Odour threshold - upperNo information available as testing has not been completed.

pH-Value, Conc. Solution 8.5 - 9.0

pH-Value, Diluted solution No information available as testing has not been completed.

Melting point May start to solidify at the following temperature: O °C

Initial boiling point and boiling

range

> 35°C

Flash point Not applicable (product does not support combustion).

Evaporation rate No information available as testing has not been completed.

Flammability state The product is not classified as flammable.

Flammability limit - lower(%) No information available as testing has not been completed.

Flammability limit - upper(%) No information available as testing has not been completed.

Vapour pressure No information available as testing has not been completed.

Vapour density (air=1) No information available as testing has not been completed.

Relative density 1.3g/cm³ @ 20.00 °C

Bulk density No information available as testing has not been completed.

Solubility Miscible with water.

Decomposition temperature No information available as testing has not been completed.

Partition coefficient; n-

Octanol/Water

No information available as testing has not been completed.

Auto ignition temperature (°C) No information available as testing has not been completed.

Viscosity: Dynamic Viscosity: 2,800 cP @ 20°C. Kinematic Viscosity: > 20.5mm²/s @ 40°C.

Explosive properties Not classified as explosive.

Oxidising properties The product does not meet the criteria to be classified as oxidising.

9.2 Other information

Molecular weight The product is a mixture, molecular weight data is not required.

Volatile organic compound EU limit value is 130 g/l (Cat A/d) (2010). Product contains max. 130 g/l.

Other information None noted.

Section 10: Stability and reactivity

10.1 Reactivity

Reactivity No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stability Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

Hazardous reactions For information on hazardous reactions see section 10.1.

Hazardous polymerisationNo information available for the mixture as testing has not been completed.

Polymerisation descriptionNo information available as testing has not been completed.

10.4 Conditions to Avoid

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid extremes of temperature.

10.5 Incompatible materials

Materials to avoid Do not mix with other chemicals unless listed on directions. Keep away from strong oxidizing

agents, strong acids and strong caustics.

10.6 Hazardous decomposition products

Hazardous decomposition products When heated, vapours/gases hazardous to health may be formed. Decomposition products

can include and are not limited to: Oxides of carbon. Metal oxides.

Section 11: Toxicological information

11.1 Information on hazard classses as defined in Regulation (EC) No. 1272/2008

Toxicological information No toxicological information for the overall finished product. Not classified based on

available information.

Acute toxicity (Oral LD50)

Acute toxicity (Dermal LD50)

Acute toxicity (Inhalation LD50)

No information available as testing has not been completed. No information available as testing has not been completed. No information available as testing has not been completed.

Serious eye damage/irritation Product is not classified as an eye irritant.

Skin corrosion/irritation The product is not classified as a skin corrosion/irritation hazard.

Respiratory sensitisationThe product is not classified as a respiratory hazard. **Skin sensitisation**The product is classified as a skin sensitisation hazard.

Germ cell mutagenicity The product is not classified as a mutagen.

Carcinogenicity The product is not classified as a carcinogen hazard.

Specific target organ toxicity - Single exposure:

STOT - Single exposure The product is not classified as a single exposure specific target organ toxin.

Specific target organ toxicity - Repeated exposure:

STOT - Repeated exposureThe product is not classified as a repeat exposure specific target organ toxin.

Inhalation No specific symptoms noted.

IngestionIngestion may cause nausea and irritation to the mouth, throat and digestive system.Skin contactProlonged contact may cause redness, irritation and dry skin. May cause an allergic skin

reaction.

Eye contact May cause temporary eye irritation.

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

Routes of entryEye and skin contact, ingestion or inhalation. **Target organs**Eyes, skin, digestive system, respiratory system.

Aspiration hazards: The product is not classified as an aspiration hazard. **Reproductive toxicity:** The product is not classified as a reproductive hazard.

Name	LD50 oral	LD50 dermal	LD50 inhalation
docusate sodium	4200.00mg/kg Rat	10000.00mg/kg Rat	20.00mg/l (vapours) Rat 4 Hours
isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol	6500.00mg/kg Rat	15200.00mg/kg Rabbit	
Limestone	>5000.00mg/kg Rat		
propane-1,2-diol	22000.00mg/kg Rat	>2000.00mg/kg Rabbit	
2-methyl-2H-isothiazol-3-one	200.00mg/kg Rat	2000.00mg/kg Rat	0.53mg/l (dust/mist) Rat 4 Hours

11.2 Information on other hazards

Information on other hazards None known.

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - Fish No information available as testing has not been completed. Acute toxicity - Aquatic invertebrates No information available as testing has not been completed. **Acute toxicity - Aquatic plants** No information available as testing has not been completed. Acute toxicity - Microorganisms No information available as testing has not been completed. **Chronic toxicity - Fish** No information available as testing has not been completed. **Chronic toxicity - Aquatic** No information available as testing has not been completed.

invertebrates

Chronic toxicity - Aquatic plants Chronic toxicity - Microorganisms

Ecotoxicity

No information available as testing has not been completed. No information available as testing has not been completed. The product is not classified as environmentally hazardous. However, this does not exclude

the possibility that large or frequent spills can have a harmful or damaging effect on the

environment.

Eco toxilogical information No ecological toxicity data available for the overall finished product.

Not classified as dangerous for the environment according to the criteria of Regulation (EC)

No 1272/2008.

12.2 Persistence and degradability

Degradability No information available as testing has not been completed. Biological oxygen demand No information available as testing has not been completed. Chemical oxygen demand No information available as testing has not been completed.

12.3 Bioaccumulative potential

Bioaccumulative potential No information available as testing has not been completed. **Bioaccumulation factor** No information available as testing has not been completed. Partition coefficient; n-No information available as testing has not been completed. Octanol/Water

12.4 Mobility in soil

Mobility Miscible with water.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

12.6 Endocrine disrupting properties

The product does not contain any substances with endocrine disrupting properties at a **Endocrine disrupting properties**

concentration above or equal to 0.1%.

12.7 Other adverse effects

Other adverse effects None known.

Name	IACIITE TOXICITY (FISN)	3 ` •	Acute toxicity (Aquatic plants)

licohilturic acid monopetor with 1.1/1-	LC0 96 Hours >19.00mg/l Onchorhynchus mykiss (Rainbow Trout)	EC50 48 Hours 147.80mg/l Daphnia magna	
Limestone	LC50 96 Hours >10000.00mg/l Onchorhynchus mykiss (Rainbow Trout)	EC50 48 Hours >1000.00mg/l Daphnia magna	EC50 72 Hours >200.00mg/l Scenedesmus Subspicatus
propane-1,2-diol	EC50 96 Hours 40613.00mg/l Onchorhynchus mykiss (Rainbow Trout)	LC50 48 Hours 18340.00mg/l Daphnia magna	

Section 13: Disposal considerations

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

13.1 Waste treatment methods

Disposal methods Dispose of waste and residues in accordance with local authority requirements, and in

accordance with all local, national and international regulations. For waste disposal, use a

licensed industrial waste disposal agent.

Section 14: Transport information

14.1 UN number or ID number

UN no. (ADR) Not applicable.
UN no. (IMDG) Not applicable.
UN no. (IATA) Not applicable.

14.2 UN proper shipping name

ADR proper shipping name
IMDG proper shipping name
Not applicable.
IATA proper shipping name
Not applicable.

14.3 Transport hazard class(es)

ADR class Not applicable.

IMDG class Not applicable.

IATA class Not applicable.

Transport labels Not applicable

14.4 Packing group

ADR/RID/ADN packing group Not applicable.

IMDG packing group Not applicable.

IATA packing group Not applicable.

14.5 Environmental hazards

ADR No IMDG No IATA No

${\bf 14.6 \; Special \; precautions \; for \; user}$

EMS Not applicable.
Emergency action code Not applicable.
Hazard no. (ADR) Not applicable.
Tunnel restriction code Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals

(REACH).

Approved code of practice 2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents)

Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens)

Regulations (2001-2019)

15.2 Chemical safety assessment

Chemical safety assessment No chemical safety assessment has been carried out.

Section 16: Other information

General information This Safety Data Sheet is in accordance with REACH Annex II, (EC) No 2020/878.

2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens)

Regulations (2001-2019)

Revision commentsThis is a first issue. **Revision date**16 February 2021

Revision

Safety data sheet status Approved.

Hazard statements in full

H315 Causes skin irritation.H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

H318 Causes serious eye damage.H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.
H301 Toxic if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation. EUH071 Corrosive to the respiratory tract.

H330 Fatal if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

H310 Fatal in contact with skin.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use. Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations. The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.