ProductPrimex ExcelRevision date22 October 2020Revision1



# Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

Section 1: Identification of the substance/mixture and of the company/undertaking			
1.1 Product identifier			
Product name	Primex Excel		
Synonyms, Trade names	No information available.		
<b>1.2 Relevant identified uses of the s</b>	ubstance or mixture and uses advised against		
Identified uses Uses advised against	Water based single pack primer for use on various specified systems. Any other purpose.		
<b>1.3 Details of the supplier of the safe</b>	ety data sheet		
Supplier	Castle Paints Ltd		
	Cloncollig Industrial Estate		
	Tullamore Offaly		
	R35 X993		
	Ireland		
	Tel: 353 (0)579351583		
Contact person	info@castlepaints.ie		
<b>1.4 Emergency telephone number</b>			
Emergency telephone	Emergency medical information: 8am - 10pm (Seven Days) contact National Poison Center,Beaumont Hospital. Telephone: +353 (0) 18092166		

# Section 2: Hazards identification

# **2.1 Classification of the substance or mixture**

	<b>Classification (EC 1272/2008)</b> Physical and chemical hazards Human health Environment	Not classified Not classified Not classified
<u>2.2</u>	Label elements	
	Contains	Not applicable
	Label in accordance with (EC) no. 1272/2008	No pictogram required
	Signal word	No Signal Word
	Hazard statements	No hazard statements required
	Precautionary statements	No precautionary statements required
	EUH statements	EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

#### 2.3 Other hazards

None known.

# Section 3: Composition/identification of ingredients

# 3.1 Substance

Not applicable.

# 3.2 Mixtures

Name	Product identifier	Regulation (EC) No 1272/2008	%
titanium dioxide	CAS-No.: 13463-67-7 EC No.: 236-675-5 REACH Reg No.: 01-2119489379-17-0046		10-20%
Talc (Mg3H2(SiO3)4)	CAS-No.: 14807-96-6 EC No.: 238-877-9		5-10%
Limestone	CAS-No.: 1317-65-3 EC No.: 215-279-6		1-5%
2-(2-butoxyethoxy)ethanol	CAS-No.: 112-34-5 EC No.: 203-961-6 REACH Reg No.: 01-2119475104-44-XXXX	Eye Irrit.2A - H319	0.1-0.9%
zinc oxide	CAS-No.: 1314-13-2 EC No.: 215-222-5 REACH Reg No.: 01-2119463881-32-XXXX	Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	<0.1%
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC No.: 220-120-9 REACH Reg No.: 01-2120761540-60-XXXX	Acute Tox 4 - H302, Skin Irrit.2 - H315, Eye Dam. 1 - H318, Skin. Sens 1 - H317, Aquatic Acute 1 - H400, Aquatic Chronic 2 - H411	<0.1%

The full text for all hazard statements are displayed in section 16.

**Composition comments** 

The data shown are in accordance with the latest EC Directives.

# Section 4: First aid measures

#### **<u>4.1 Description of first aid measures</u>**

General information	Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor.
Inhalation	Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort or breathing difficulties develop.
	, 5 I
Ingestion	Rinse mouth out and then drink plenty of water. Seek medical attention.
Skin contact	Remove affected person from source of contamination. Wash exposed area with soap and
	water. Get medical attention if irritation develops or persists.
Eye contact	Remove contact lenses if present and easy to do so. Hold eye lids open. Rinse with a gentle
	stream water for at least 15 minutes. Seek medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the
	length of exposure.
Inhalation	No specific symptoms noted.
Ingestion	Prolonged exposure to product may cause irritation to lining of the mouth.
Skin contact	Prolonged contact may cause redness, irritation and dry skin. May cause an allergic skin
	reaction.
Eye contact	May cause temporary eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to the physician	Treat symptomatically.
------------------------	------------------------

#### **Section 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media High volume water jet.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products	During fire, gases hazardous to health may be formed.
Unusual fire & explosion hazards	No unusual fire or explosion hazards noted.
Specific hazards	None noted.
5.3 Advice for firefighters	

Special fire fighting procedures	Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires from safe distance or protected location. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so.
Protective equipment for firefighter	<b>s</b> Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# Section 6: Accidental release measures

#### **<u>6.1 Personal precautions, protective equipment and emergency procedures</u>**

For non-emergency personnel For emergency responders	Wear protective clothing as described in Section 8 of this safety data sheet. Follow safe handling advice and personal protective equipment recommendations for normal use of product.		
6.2 Environmental precautions			
<b>Environmental precautions</b>	Avoid discharge in to drains and water courses.		
6.3 Methods and material for contain	ment and cleaning up		
Spill clean up methods	Stop leak if possible without risk. Wear necessary protective equipment. Absorb spillage with non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage.		
6.4 Reference to other sections			
Reference to other sections	See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.		
Section 7: Handling and storage			
7.1 Precautions for safe handling			
Handling	Read and follow manufacturer's recommendations. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Do not eat, drink or smoke when using the product. Avoid spilling, skin and eye contact. Ensure adequate ventilation. Use proper personal protection when handling (refer to Section 8).		
7.2 Conditions for safe storage, includ	ling any incompatibilities		
Storage precautions	Store in tightly closed original container in a cool, dry and well-ventilated place. Keep upright, locked up and out of reach of children.		
Storage class	Unspecified storage.		
7.3 Specific end use(s)			
Specific end use(s) Usage description	The identified uses for this product are detailed in Section 1. Use only according to directions. Replace and tighten cap after use.		

# Section 8: Exposure controls/Personal protection

# **8.1 Control parameters**

Component	STD	TWA (	8 Hrs)	STEL (1	15mins)	Notes
titanium dioxide	OEL		10 mg/m <sup>3</sup>			total inhalable dust
titanium dioxide	OEL		4 mg/m <sup>3</sup>			respirable dust
Talc (Mg3H2(SiO3)4)	OEL		10 mg/m <sup>3</sup>			total inhalable dust
Talc (Mg3H2(SiO3)4)	OEL		0.8 mg/m <sup>3</sup>			respirable dust
Limestone	OEL		10 mg/m <sup>3</sup>			total inhalable dust
Limestone	OEL		$4 \text{ mg/m}^3$			total respirable dust
2-(2-butoxyethoxy)ethanol	OEL	10 ppm	67.5 mg/m <sup>3</sup>	12 ppm	101.2 mg/m <sup>3</sup>	IOELV
zinc oxide	OEL		2 (R) mg/m <sup>3</sup>		10 mg/m <sup>3</sup>	

Ingredient comments

Ireland, Occupational Exposure Limits 2020.

# **8.2 Exposure Controls**

**Protective equipment** 



Engineering measures	Observe occupational exposure limits and minimize the risk of inhalation of dust. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.
Respiratory equipment	No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.
Hand protection	Use suitable protective gloves if there is a risk of skin contact. Consult manufacturer for specific advice. Suggested material: Nitrile rubber gloves. Layer thickness: 0.11mm. Breakthrough time: >480 min.
Eye protection	Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).
Other protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Wash hands and / or face before breaks and at the end of the shift. Do not eat, drink, or smoke while using this product. Avoid contact with skin, eyes and clothing.
Process conditions	Use only according to directions. Ensure that eye flushing systems and safety showers are located close by in the work place.

# Section 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance Colour Odour	Liquid. White Faintly sweet smelling.
Odour threshold - lower	No information available as testing has not been completed.
Odour threshold - upper	No information available as testing has not been completed.
pH-Value, Conc. Solution	8.0 - 8.5
pH-Value, Diluted solution	No information available as testing has not been completed.
Melting point	May start to solidify at the following temperature: 0°C. (Based on data for the following ingredient: Water ) $$
Initial boiling point and boiling range	> 35 °C
Flash point	Not applicable ( Product does not sustain combustion )
Evaporation rate	No information available as testing has not been completed.

Flammability state	The product is not classified as flammable.
Flammability limit - lower(%)	No information available as testing has not been completed.
Flammability limit - upper(%)	No information available as testing has not been completed.
Vapour pressure	No information available as testing has not been completed.
Vapour density (air=1)	No information available as testing has not been completed.
Relative density	1.2
Bulk density	Not applicable as the product is a liquid.
Solubility	Miscible with water.
Decomposition temperature	No information available as testing has not been completed.
Partition coefficient; n- Octanol/Water	No information available as testing has not been completed.
Auto ignition temperature (°C)	No information available as testing has not been completed.
Viscosity	Dynamic Viscosity = 3000 cP @ 20 °C. Kinematic Viscosity = > 20.5 mm <sup>2</sup> /s @ 40 °C.
Explosive properties	Not classified as explosive.
Oxidising properties	The product does not meet the criteria to be classified as oxidising.
9.2 Other information	
Molecular weight	Not applicable as the product is a mixture.
Volatile organic compound	EU value ( Cat A/g) (2010 ) is 30 g/l. Product contains max. 30 g/l.

Section 10: Stability and reactivity		
10.1 Reactivity		
Reactivity	No specific reactivity hazards associated with this product.	
<b>10.2 Chemical stability</b>		
Stability	Stable under normal temperature conditions and recommended use.	
<b>10.3 Possibility of hazardous reactions</b>		
-		
Hazardous reactions	For information on hazardous reactions see section 10.1.	
Hazardous polymerisation Polymerisation description	Unknown. Unknown.	
Polymensation description	Unknown.	
<b>10.4 Conditions to Avoid</b>		
Conditions to avoid	No specific conditions to avoid are noted.	
10.5 Incompatible materials		
Materials to avoid	Do not mix with other chemicals unless listed on directions. Strong oxidising substances.	
<b>10.6 Hazardous decomposition products</b>	i de la constante d	
Hazardous decomposition products	When heated, vapours/gases hazardous to health may be formed.	
mazaruous uecomposition products	when heaten, vapour sygases hazardous to heatth hiay be formen.	

# Section 11: Toxicological information

# **11.1 Information on toxicological effects**

Toxicological information	No toxicological information for the overall finished product.	
Acute toxicity (Oral LD50) Acute toxicity (Dermal LD50) Acute toxicity (Inhalation LD50)	No information available as testing has not been completed. No information available as testing has not been completed. No information available as testing has not been completed.	
Serious eye damage/irritation	Product is not classified as an eye irritant.	
Skin corrosion/irritation	The product is not classified as a skin corrosion/irritation hazard.	
Respiratory sensitisation Skin sensitisation	The product is not classified as a respiratory hazard. The product is not classified as a skin sensitisation hazard.	
Germ cell mutagenicity	The product is not classified as a mutagen.	
Carcinogenicity	The product is not classified as a carcinogen hazard.	
Specific target organ toxicity - Sing	•	
STOT - Single exposure	The product is not classified as a single exposure specific target organ toxin.	
Specific target organ toxicity - Repeated exposure:		
STOT - Repeated exposure	The product is not classified as a repeat exposure specific target organ toxin.	
Inhalation	No specific symptoms noted.	
Ingestion Skin contact	Prolonged exposure to product may cause irritation to lining of the mouth. Prolonged contact may cause redness, irritation and dry skin. May cause an allergic skin reaction.	
Eye contact	May cause temporary eye irritation.	
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.	
Routes of entry Target organs	Eyes, skin, ingestion or inhalation. Eyes, skin, digestive system, respiratory system.	
Aspiration hazards: Reproductive toxicity:	The product is not classified as an aspiration hazard. The product is not classified as a reproductive hazard.	

Name	LD50 oral	LD50 dermal	LD50 inhalation
Limestone	>5000.00mg/kg Rat		
2-(2-butoxyethoxy)ethanol	3305.00mg/kg Rat	2764.00mg/kg Rabbit	

# Section 12: Ecological information

# 12.1 Toxicity

Acute toxicity - Fish Acute toxicity - Aquatic invertebrate Acute toxicity - Aquatic plants Acute toxicity - Microorganisms Chronic toxicity - Fish Chronic toxicity - Aquatic invertebrates	No information available as testing has not been completed. s No information available as testing has not been completed. No information available as testing has not been completed.
Chronic toxicity - Aquatic plants Chronic toxicity - Microorganisms Ecotoxicity	No information available as testing has not been completed. No information available as testing has not been completed. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Eco toxilogical information 12.2 Persistence and degradability	The product is not classified as dangerous for the environment.
Degradability Biological oxygen demand	The degradability of the product has not been stated. No information available as testing has not been completed.
Chemical oxygen demand	No information available as testing has not been completed.

# 12.3 Bioaccumulative potential No data available on bioaccumulation. Bioaccumulation factor No information available as testing has not been completed. Partition coefficient; n No information available as testing has not been completed. Octanol/Water No information available as testing has not been completed.

#### **12.4 Mobility in soil**

Mobility

Partially soluble in cold water.

#### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

#### **12.6 Other adverse effects**

Other adverse effects None known.

Name	ΙΔΟΊΙΤΑ ΤΟΥΙΟΙΤΥ ( ΗΙΩΝ Ι	Acute toxicity (Aquatic invertebrates)	Acute toxicity (Aquatic plants)
	LC50 96 Hours >10000.00mg/l Onchorhynchus mykiss (Rainbow Trout)		EC50 72 Hours >200.00mg/l Scenedesmus Subspicatus
2-(2-butoxyethoxy)ethanol	5. 1		96 Hours >100.00mg/l Scenedesmus Subspicatus

# Section 13: Disposal considerations

Waste management

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

#### 13.1 Waste treatment methods

**Disposal methods** 

Dispose of waste and residues in accordance with local authority requirements, and in accordance with all local, national and international regulations. For waste disposal, use a licensed industrial waste disposal agent.

#### Section 14: Transport information

#### 14.1 UN number

UN no. (ADR)	Not applicable.
UN no. (IMDG)	Not applicable.
UN no. (IATA)	Not applicable.
2 UN proper shipping pame	

#### 14.2 UN proper shipping name

ADR proper shipping name	Not applicable.	
IMDG proper shipping name	Not applicable.	
IATA proper shipping name	Not applicable.	
<u>14.3 Transport hazard class(es)</u>		
ADR class	Not applicable.	
IMDG class	Not applicable.	
IATA class	Not applicable.	
Transport labels	Not applicable	
<u>14.4 Packing group</u>		
ADR/RID/ADN packing group	Not applicable.	
IMDG packing group	Not applicable.	
IATA packing group	Not applicable.	
<u>14.5 Environmental hazards</u>		
ADR	No	
IMDG	No	

#### IATA

No

# 14.6 Special precautions for user

EMS	Not applicable.
Emergency action code	Not applicable.
Hazard no. (ADR)	Not applicable.
Tunnel restriction code	Not applicable.

#### 14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

ection 15: Regulatory information 5.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture		
Approved code of practice	2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019)	
Chemical safety assessment	No chemical safety assessment has been carried out.	

#### Section 16: Other information

General information	This Safety Data Sheet is in accordance with REACH Annex II, (EC) No 830/2015. 2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019)
<b>Revision comments</b>	This is a first issue.
Revision date	22 October 2020
Revision	1
Safety data sheet status	Approved.

#### Hazard statements in full

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
H302	Harmful if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
H330	Fatal if inhaled.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.